

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	(LIN adj CHIA adj LUNG).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:13
L2	359	(transition\$3 or chang\$3 or switch\$3 or enter\$3) near6 (over adj clock\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:32
L3	18	2 same ((predetermin\$3 or preset\$3 or preprogram\$4 or set\$4 or preestablish\$3 or (pre adj (determin\$3 or set\$3 or program\$4 establish\$3))) near6 (period\$1 or time\$1 or duration\$1 or interval\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:25
L4	10	2 with ((predetermin\$3 or preset\$3 or preprogram\$4 or set\$4 or preestablish\$3 or (pre adj (determin\$3 or set\$3 or program\$4 establish\$3))) near6 (period\$1 or time\$1 or duration\$1 or interval\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:38
L5	1	3 same (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:26
L6	1	4 with (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:20
L7	374	(transition\$3 or chang\$3 or switch\$3 or enter\$3) near6 ((over adj clock\$3) or overclock\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:25
L8	2	7 and Intel.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:24
L9	57	((over adj clock\$3) or overclock\$3) and Intel.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:47

## EAST Search History

L10	17	9 and ((predetermin\$3 or preset\$3 or preprogram\$4 or set\$4 or preestablish\$3 or (pre adj (determin\$3 or set\$3 or program\$4 establish\$3))) near6 (period\$1 or time\$1 or duration\$1 or interval\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:31
L11	7	10 and (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:35
L12	21	((over adj clock\$3) or overclock\$3) and ((Advanced adj Micro adj Devices) or AMD).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:04
L13	8	12 and ((predetermin\$3 or preset\$3 or preprogram\$4 or set\$4 or preestablish\$3 or (pre adj (determin\$3 or set\$3 or program\$4 establish\$3))) near6 (period\$1 or time\$1 or duration\$1 or interval\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:32
L14	16	9 and (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:28
L15	12	12 and (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:45
L16	10	((over adj clock\$3) or overclock\$3) and Motorola.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:47
L17	0	overclock\$3 and Motorola.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:47
L18	11	overclock\$3 and Intel.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:48

## EAST Search History

L19	5	overclock\$3 and ((Advanced adj Micro adj Devices) or AMD).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:10
L20	5	overclock\$3 and ATI.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:11
L21	9	(US-20050144498-\$).did. or (US-6587800-\$ or US-6772356-\$ or US-6754840-\$ or US-6535988-\$ or US-6691242-\$ or US-6067606-\$ or US-6633993-\$ or US-6385735-\$). did.	US-PGPUB; USPAT	OR	OFF	2006/08/02 11:12
L22	6	21 and (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:12
L23	324	(adjust\$5 or chang\$3 or modif\$8 or vary\$6) near6 (((voltage or clock) near3 (value\$1 or parameter\$1 or setting\$1)) or voltage\$1 or clock\$1 or (clock\$1 near2 (speed or frequenc\$3 or rate\$1))) same ((over adj clock\$3) or overclock\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:30
L24	243	(adjust\$5 or chang\$3 or modif\$8 or vary\$6) near6 (((voltage or clock) near3 (value\$1 or parameter\$1 or setting\$1)) or voltage\$1 or clock\$1 or (clock\$1 near2 (speed or frequenc\$3 or rate\$1))) with ((over adj clock\$3) or overclock\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:27
L25	33	23 same (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:30
L26	15	24 with (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:29
L27	1	23 same ((first or second) near3 (timer\$1 or counter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:28

## EAST Search History

L28	25	(adjust\$5 or chang\$3 or modif\$8 or vary\$6) near6 (((voltage or clock) near3 (value\$1 or parameter\$1 or setting\$1)) or voltage\$1 or clock\$1 or (clock\$1 near2 (speed or frequenc\$3 or rate\$1))) same overclock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:31
L29	12	(adjust\$5 or chang\$3 or modif\$8 or vary\$6) near6 (((voltage or clock) near3 (value\$1 or parameter\$1 or setting\$1)) or voltage\$1 or clock\$1 or (clock\$1 near2 (speed or frequenc\$3 or rate\$1))) with overclock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:30
L30	1	28 same (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:31
L31	15	28 and (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:50
L32	8	29 and (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:31
L33	87095	((predetermin\$3 or preset\$3 or preprogram\$4 or set\$4 or preestablish\$3 or (pre adj (determin\$3 or set\$3 or program\$4 or establish\$3))) near6 (period\$1 or time\$1 or duration\$1 or interval\$1)) same (restart\$3 or (re adj start\$3) or reset\$4 or (re adj set\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:47
L34	47793	((predetermin\$3 or preset\$3 or preprogram\$4 or set\$4 or preestablish\$3 or (pre adj (determin\$3 or set\$3 or program\$4 or establish\$3))) near6 (period\$1 or time\$1 or duration\$1 or interval\$1)) with (restart\$3 or (re adj start\$3) or reset\$4 or (re adj set\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:42
L35	1	33 same overclock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:45

## EAST Search History

L36	17	33 and overclock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:43
L37	3	34 and overclock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:44
L38	13	33 same (overclock\$3 or (over adj clock\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:46
L39	2	34 with (overclock\$3 or (over adj clock\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:46
L40	115	(overclock\$3 or (over adj clock\$3)) same (restart\$3 or (re adj start\$3) or reset\$4 or (re adj set\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:57
L41	50	(overclock\$3 or (over adj clock\$3)) with (restart\$3 or (re adj start\$3) or reset\$4 or (re adj set\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:47
L42	13	40 same ((predetermin\$3 or preset\$3 or preprogram\$4 or set\$4 or preestablish\$3 or (pre adj (determin\$3 or set\$3 or program\$4 or establish\$3))) near6 (period\$1 or time\$1 or duration\$1 or interval\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:05
L43	2	41 with ((predetermin\$3 or preset\$3 or preprogram\$4 or set\$4 or preestablish\$3 or (pre adj (determin\$3 or set\$3 or program\$4 or establish\$3))) near6 (period\$1 or time\$1 or duration\$1 or interval\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:49
L44	54	40 same (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:56

## EAST Search History

L45	16	41 with (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:54
L46	63	40 and ((predetermin\$3 or preset\$3 or preprogram\$4 or set\$4 or preestablish\$3 or (pre adj (determin\$3 or set\$3 or program\$4 or establish\$3))) near6 (period\$1 or time\$1 or duration\$1 or interval\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:56
L47	28	41 and ((predetermin\$3 or preset\$3 or preprogram\$4 or set\$4 or preestablish\$3 or (pre adj (determin\$3 or set\$3 or program\$4 or establish\$3))) near6 (period\$1 or time\$1 or duration\$1 or interval\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:56
L48	58	46 and (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:57
L49	25	47 and (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:12
L50	8	overclock\$3 same (restart\$3 or (re adj start\$3) or reset\$4 or (re adj set\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:09
L51	7	overclock\$3 with (restart\$3 or (re adj start\$3) or reset\$4 or (re adj set\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:58
L52	7	overclock\$3 same tun\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:59
L53	5	overclock\$3 with tun\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:02

## EAST Search History

L54	5	overclock\$3 same ((predetermin\$3 or preset\$3 or preprogram\$4 or set\$4 or preestablish\$3 or (pre adj (determin\$3 or set\$3 or program\$4 or establish\$3))) near6 (period\$1 or time\$1 or duration\$1 or interval\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:11
L55	2	overclock\$3 with ((predetermin\$3 or preset\$3 or preprogram\$4 or set\$4 or preestablish\$3 or (pre adj (determin\$3 or set\$3 or program\$4 or establish\$3))) near6 (period\$1 or time\$1 or duration\$1 or interval\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:08
L56	115	(overclock\$3 or (over adj clock\$3)) same (restart\$3 or (re adj start\$3) or reset\$4 or (re adj set\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:10
L57	118	(overclock\$3 or (over adj clock\$3)) same (restart\$3 or (re adj start\$3) or reset\$4 or (re adj set\$4) or reboot\$3 or (re adj boot\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:10
L58	51	(overclock\$3 or (over adj clock\$3)) with (restart\$3 or (re adj start\$3) or reset\$4 or (re adj set\$4) or reboot\$3 or (re adj boot\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:34
L59	13	57 same ((predetermin\$3 or preset\$3 or preprogram\$4 or set\$4 or preestablish\$3 or (pre adj (determin\$3 or set\$3 or program\$4 or establish\$3))) near6 (period\$1 or time\$1 or duration\$1 or interval\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:12
L60	2	58 with ((predetermin\$3 or preset\$3 or preprogram\$4 or set\$4 or preestablish\$3 or (pre adj (determin\$3 or set\$3 or program\$4 or establish\$3))) near6 (period\$1 or time\$1 or duration\$1 or interval\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:22
L61	66	57 and ((predetermin\$3 or preset\$3 or preprogram\$4 or set\$4 or preestablish\$3 or (pre adj (determin\$3 or set\$3 or program\$4 or establish\$3))) near6 (period\$1 or time\$1 or duration\$1 or interval\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:12
L62	29	58 and ((predetermin\$3 or preset\$3 or preprogram\$4 or set\$4 or preestablish\$3 or (pre adj (determin\$3 or set\$3 or program\$4 or establish\$3))) near6 (period\$1 or time\$1 or duration\$1 or interval\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:12

## EAST Search History

L63	58	61 and (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:14
L64	25	62 and (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:13
L65	54	56 same (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:17
L66	54	57 same (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:16
L67	16	58 with (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:15
L68	1	(set\$4 or adjust\$5 or chang\$3 or modif\$8 or vary\$6 or control\$4 or manag\$5) near6 (overclock\$3 near3 (paramater\$1 or setting\$1 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:15
L69	11	(set\$4 or adjust\$5 or chang\$3 or modif\$8 or vary\$6 or control\$4 or manag\$5) same (overclock\$3 near3 (paramater\$1 or setting\$1 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:42
L70	11	(set\$4 or adjust\$5 or chang\$3 or modif\$8 or vary\$6 or control\$4 or manag\$5 or tun\$3) same (overclock\$3 near3 (paramater\$1 or setting\$1 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:18
L71	5	(set\$4 or adjust\$5 or chang\$3 or modif\$8 or vary\$6 or control\$4 or manag\$5 or tun\$3) with (overclock\$3 near3 (paramater\$1 or setting\$1 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:21
L72	1	70 same (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:36



## EAST Search History

L73	6	70 and (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:17
L74	1	71 and (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:17
L75	0	(clock near2 (stabiliz\$5 or steady\$4)) same overclock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:23
L76	0	(clock near2 (stabiliz\$5 or steady\$4)) and overclock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:26
L77	0	((transient or brief or temporary or momentary or transitory) near3 (period\$1 or duration\$1 or time\$1 or interval\$1)) near6 overclock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:26
L78	0	((transient or brief or temporary or momentary or transitory) near3 (period\$1 or duration\$1 or time\$1 or interval\$1)) same overclock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:26
L79	0	((transient or brief or temporary or momentary or transitory) near3 (period\$1 or duration\$1 or time\$1 or interval\$1)) and overclock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:26
L80	0	(stabiliz\$5 or steady\$4) near6 ((after or following or subsequent\$2) near2 overclock\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:29
L81	0	(stabiliz\$5 or steady\$4) same ((after or following or subsequent\$2) near2 overclock\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:29
L82	0	(stabiliz\$5 or steady\$4) same ((after or following or subsequent\$2) near6 overclock\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:30

## EAST Search History

L83	11	overclock\$3 near6 (prevent\$3 or prohibit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:31
L84	15	(transition\$3 or chang\$3 or switch\$3 or enter\$3) near6 overclock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:32
L85	8	(system near6 (restart\$3 or (re adj start\$3) or reset\$4 or (re adj set\$4) or reboot\$3 or (re adj boot\$3))) same overclock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:37
L86	2	(system near6 (restart\$3 or (re adj start\$3) or reset\$4 or (re adj set\$4) or reboot\$3 or (re adj boot\$3))) with overclock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:36
L87	1	85 same (timer\$1 or counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:36
L88	11	(set\$4 or adjust\$5 or chang\$3 or modif\$8 or vary\$6 or control\$4 or manag\$5 or updat\$3) same (overclock\$3 near3 (paramater\$1 or setting\$1 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:43
L89	5	(set\$4 or adjust\$5 or chang\$3 or modif\$8 or vary\$6 or control\$4 or manag\$5 or updat\$3) with (overclock\$3 near3 (paramater\$1 or setting\$1 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:42
L90	14	((set\$4 or adjust\$5 or chang\$3 or modif\$8 or vary\$6 or control\$4 or manag\$5 or updat\$3) near6 (paramater\$1 or setting\$1 or value\$1)) same overclock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:08
L91	8	((set\$4 or adjust\$5 or chang\$3 or modif\$8 or vary\$6 or control\$4 or manag\$5 or updat\$3) near6 (paramater\$1 or setting\$1 or value\$1)) with overclock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:44
L92	21	overclock\$3.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:00

## EAST Search History

L93	0	overclock\$3 near6 ((first or initial or second or subsequent\$2 or follow\$3 or primary or secondary or two or multiple or more or many or plurality) near2 (attempt\$1 or tries or try\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:22
L94	0	overclock\$3 same ((first or initial or second or subsequent\$2 or follow\$3 or primary or secondary or two or multiple or more or many or plurality) near2 (attempt\$1 or tries or try\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:06
L95	18	overclock\$3 same fail\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:07
L96	11	overclock\$3 with fail\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:07
L97	0	95 same repeat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:08
L98	3	95 and repeat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:08
L99	0	(repeat\$5 near6 ((set\$4 or adjust\$5 or chang\$3 or modif\$8 or vary\$6 or control\$4 or manag\$5 or updat\$3) near3 (paramater\$1 or setting\$1 or value\$1))) same overclock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:10
L100	78997	((set\$4 or adjust\$5 or chang\$3 or modif\$8 or vary\$6 or control\$4 or manag\$5 or updat\$3) near6 (paramater\$1 or setting\$1 or value\$1)) same repeat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:11
L101	0	100 same overclock\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:12

## EAST Search History

L102	2	100 and overclock\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:12
L103	1	overclock\$3 near6 ((first or initial or second or subsequent\$2 or follow\$3 or primary or secondary or two or multiple or more or many or plurality or several) near3 (trial\$1 or attempt\$1 or tries or try\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:23
L104	1	overclock\$3 same ((first or initial or second or subsequent\$2 or follow\$3 or primary or secondary or two or multiple or more or many or plurality or several) near3 (trial\$1 or attempt\$1 or tries or try\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:24
L105	5	overclock\$3 and ((first or initial or second or subsequent\$2 or follow\$3 or primary or secondary or two or multiple or more or many or plurality or several) near3 (trial\$1 or attempt\$1 or tries or try\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:44
L106	2	overclock\$3 same ((first or second or primary or secondary or two or multiple or more or many or plurality or several) near6 (timer\$1 or counter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:47
L107	16	overclock\$3 and ((first or second or primary or secondary or two or multiple or more or many or plurality or several) near3 (timer\$1 or counter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 15:07
L108	13	overclock\$3 and ((first or second or primary or secondary or two or multiple or (more adj2 (one or single)) or many or plurality or several) near3 (timer\$1 or counter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:49
L109	2	overclock\$3 near6 recover\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 15:07
L110	2	overclock\$3 same recover\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 15:07
L111	0	("6622254").URPN.	USPAT	OR	OFF	2006/08/02 15:14

## EAST Search History

L112	10	("5432468"   "5710910"   "5862368"   "5940607"   "6047373"   "6122744"   "6134638"   "6212482"   "6385735"   "6496911").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/02 15:14
------	----	--	------------------------------	----	-----	------------------